ELSEVIER

Journal of Materials Processing Technology 85 (1999) 233

Journal of
Materials
Processing
Technology

Author Index of Volume 85

Abe, A., 158, 162
Abe, T., 56
Aizawa, T., 87, 91, 148
Akashi, T., 131
Ando, S., 142
Awano, T., 69, 153
Azechi, H., 34

Ben-Dor, G., 15
Bhat, T.B., 125
Buchar, J., 171

Carton, E.P., 115
Chiba, A., 100, 105
Counihan, P.J., 74
Crawford, A., 74

Date, H., 166

Endo, H., 213

Fujita, M., 1, 48, 52, 64, 97, 100, 153, 175, 180, 204, 217
Fujiwara, K., 56, 60
Fujiwara, S., 69
Fukuda, I., 180
Fukuoka, H., 60
Fukuyama, S., 188, 192

Goto, T., 100
Gucsik, A., 188, 192

Hasebe, T., 184, 194
Hashimoto, Y., 209
Hata, H., 209
Hidaka, K., 20
Hiroe, T., 56, 60
Hirosawa, S., 138
Hokamoto, K., 153, 175
Honda, A., 198
Horie, Y., 109
Horioka, K., 148
Hrubý, V., 171
Huang, X., 138
Huang, X.S., 135

Imaida, Y., 184, 194
Imamura, K., 100, 105
Ishizaki, R., 34
Itoh, H., 158
Itoh, K., 97
Itoh, S., 25, 48, 52, 64, 97, 142

Ito, K., 91
Iyama, H., 217

Kagayama, T., 220, 224, 229
Kakadate, Y., 69
Kakimoto, H., 194
Kakoki, Y., 105
Katoh, T., 56
Kato, Y., 39, 52
Katsuyama, K., 25
Kikuchi, W., 43
Kira, A., 64
Kobayakawa, S., 166
Kobayashi, T., 11
Kodama, T., 153
Komatsu, T., 69
Komori, M., 43
Kumai, S., 184
Kumar, K.S., 125
Kuroyama, Y., 97
Kusumegi, K., 56

Lee, J., 83
Lee, J.-H., 79
Liu, Z., 121
Liu, Z.Y., 48, 97

Makita, K., 138
Mashimo, T., 135, 138
Matsuo, H., 56, 60
Matsushita, T., 100
Mima, K., 34
Mine, Y., 142
Mitsudo, S., 138
Miura, Y., 188, 192
Miyanaga, N., 34
Miyazaki, M., 213
Mochihara, M., 204
Mori, Y., 20
Motokawa, M., 138
Murata, K., 39, 52

Nadamitsu, Y., 48
Nagayama, K., 20, 30
Nakahara, M., 30
Nakai, M., 34
Naka, M., 166
Nakano, M., 25
Nakiyama, Y., 204
Namjoshi, S., 74
Negishi, H., 209, 213
Nishihara, K., 34

Ogata, Y., 25
Ohkoshi, M., 131
Ohmori, M., 180
Okugawa, H., 175
Onodera, O., 4
Oomi, G., 220, 224, 229

Ramakrishnan, P., 125
Rolc, S., 171

Saito, T., 4
Sakai, M., 209
Sakai, T., 224
Sakurai, J., 220
Samedima, M., 69
Sano, Y., 158
Sato, Y., 43
Sawaoka, A.B., 131
Sekine, T., 11
Seto, M., 25
Shao, B., 121
Shigemori, K., 34
Shimokawa, H., 175
Stuivinga, M., 115
Sumiya, F., 25
Suzuki, M., 198

Takahashi, K., 39, 52
Takashima, K., 142
Takayama, K., 4
Takenaga, Y., 194
Tanaka, S., 153
Thadhani, N.N., 74, 79, 83
Tokita, K., 25
Tomoshige, R., 100, 105
Tonda, H., 142
Tsuchida, M., 148

Ujimoto, Y., 153

Verbeek, H.J., 115

Wada, Y., 25
Wouchuk, J.G., 34

Yamada, K., 131
Yano, K., 109

Zhang, R., 153, 217
Zhang, T.-S., 217
Zhang, X., 121

Elsevier Science S.A.
PII S0924-0136(98)00369-0

ELSEVIER

Journal of Materials Processing Technology 85 (1999) 234–238

Journal of
Materials
Processing
Technology

Subject Index of Volume 85

Ablation
rippled shock propagation and hydrodynamic perturbation growth in laser implosion, 34
2124Al–SiCp system
shock synthesis of 2124Al–SiCp composites, 125
Aluminium tube
local deformation and buckling of a cylindrical Al tube under magnetic impulsive pressure, 209
Amorphous alloy
explosive consolidation of amorphous cobalt-based alloys, 121
Amorphous powder
explosive compaction of Nd-Fe-B powder, 142
Axial load
dynamic axial plastic buckling of square tube, 213

B.c.c. metals
the effect of shock pressure on the mechanical properties of some b.c.c. metals, 180
B_4C composite
the double explosive layer cylindrical compaction method, 115
B–C–N heterodiamond
creation of superhard B–C–N heterodiamond using an advanced shock wave compression technology, 69
Blast wave
application of shock wave research to geophysics, 4
Bonding strength
microstructure and bonding strength of impact-welded aluminium–stainless steel joints, 166
Bubble pulse
precise measurements of underwater explosion phenomena by pressure sensor using fluoropolymer, 39
Buckling
local deformation and buckling of a cylindrical Al tube under magnetic impulsive pressure, 209
Bulk bodies
effects of decomposition on the magnetic property of shock-consolidated $Sm_2Fe_{17}N_x$ bulk magnets, 138
Bulk modulus
creation of superhard B–C–N heterodiamond using an advanced shock wave compression technology, 69

Carbide
NIRIM two-stage light–gas gun and equation of state of carbides, 11
Channel effect
experimental study on the channel effect in emulsion explosives, 25
Composite compaction
microstructures of shock-consolidated diamond/silicon composites, 131
Composites processing
shock synthesis of 2124Al–SiCp composites, 125
Compositional change
impact metamorphosed compositions of the Fe–Si–Ni–S system, 188
Compositional changes
compositional changes by multiple impacts, 192
Concentration of element
microstructure and bonding strength of impact-welded aluminium–stainless steel joints, 166
Constitutive equations
application of the unsteady wave sensing system to the plate impact experiment, 43
on the explosive welding of a ring to the axisymmetric body, 171
Converging flow
the converging gas flow driven by metal jets, 60
Copper
laser shock loading device for real time evaluation of shock induced reaction, 91
Cylinder expansion
dynamic behavior of materials induced by explosive loadings initiated using wire explosion techniques, 56
Cylinder expansion test
non-ideal detonation of emulsion explosives, 52
Cylindrical configuration
the double explosive layer cylindrical compaction method, 115
Cylindrical explosion
on direct transformation from hBN to cBN, 97

Density
effect on addition of titanium diboride to titanium carbide produced by the SHS/shock consolidation method, 105
high-temperature-shock compaction of ceramics/silicide composites produced by combustion synthesis, 100
Detonation failure
experimental study on the channel effect in emulsion explosives, 25
Diamond
an improved high-temperature shock compression and recovery system using underwater shock wave for dynamic compaction of powders, 153
microstructures of shock-consolidated diamond/silicon composites, 131
Direct method
explosive compaction of Nd-Fe-B powder, 142
Discrete element modeling
discrete element modeling of shock compression of hexagonal boron nitride powder with and without copper addition, 109
Double explosive layer
the double explosive layer cylindrical compaction method, 115
Dynamic deformation
dynamic axial plastic buckling of square tube, 213
Elastic anomaly
lattice instability of high-T_c superconductor, 229

Elsevier Science S.A.
PII S0924-0136(98)00370-7

Electrical resistance
application of the strain gauge method to thermal expansion measurement under high pressure and high magnetic field, 224
high pressure studies of the concentrated Kondo compounds $Ce(In_{1-x}Sn_x)_3$, 220
Electromagnetic forming
local deformation and buckling of a cylindrical Al tube under magnetic impulsive pressure, 209
Emulsion explosive
experimental study on the channel effect in emulsion explosives, 25
Emulsion explosives
non-ideal detonation of emulsion explosives, 52
Explosive compaction
an improved high-temperature shock compression and recovery system using underwater shock wave for dynamic compaction of powders, 153
shock synthesis of 2124Al–SiCp composites, 125
Explosive consolidation
explosive consolidation of amorphous cobalt-based alloys, 121
Explosive shock loading
the effect of shock pressure on the mechanical properties of some b.c.c. metals, 180
Explosive shock-synthesis
creation of superhard B–C–N heterodiamond using an advanced shock wave compression technology, 69
Explosive welding
a new method for explosive welding of Al/ZrO_2 joint using regulated underwater shock wave, 175
numerical simulation of the plastic flow field near the bonding surface of explosive welding, 162
on the explosive welding of a ring to the axisymmetric body, 171

FCC metal
impact compression behavior of FCC metals with pre-torsion strains, 184
Finite difference method
numerical simulation of the plastic flow field near the bonding surface of explosive welding, 162
Flyer plate method
explosive compaction of Nd-Fe-B powder, 142
Free dislocations
the effect of shock pressure on the mechanical properties of some b.c.c. metals, 180
Free surface velocity
measurement of free surface velocities of copper plates by interferometer, 158

Gas imploding detonation
sheet metal forming by using gas imploding detonation, 198
Grain boundary
microstructures of shock-consolidated diamond/silicon composites, 131
Grüneisen parameter
high pressure studies of the concentrated Kondo compounds $Ce(In_{1-x}Sn_x)_3$, 220
shock compression experiments on several polymers in the 1 GPa stress region, 20

Hardness
effect on addition of titanium diboride to titanium carbide produced by the SHS/shock consolidation method, 105
high-temperature-shock compaction of ceramics/silicide composites produced by combustion synthesis, 100
hBN
discrete element modeling of shock compression of hexagonal boron nitride powder with and without copper addition, 109
High density compact
the double explosive layer cylindrical compaction method, 115
High polymer materials
application of the unsteady wave sensing system to the plate impact experiment, 43
High pressure
high pressure studies of the concentrated Kondo compounds $Ce(In_{1-x}Sn_x)_3$, 220
the converging gas flow driven by metal jets, 60
High-speed framing camera
experimental study on the channel effect in emulsion explosives, 25
High-speed shearing
dynamic punching of holes in an aluminium pipe using impulsive hydraulic pressure, 204
High strain rate
high strain rate forming using an underwater shock wave focusing technique, 194
impact compression behavior of FCC metals with pre-torsion strains, 184
High-T_c superconductor
lattice instability of high-T_c superconductor, 229
High-temperature shock compression
an improved high-temperature shock compression and recovery system using underwater shock wave for dynamic compaction of powders, 153
High-velocity impact
dynamic punching of holes in an aluminium pipe using impulsive hydraulic pressure, 204
shock compression experiments on several polymers in the 1 GPa stress region, 20
Hugoniot
NIRIM two-stage light–gas gun and equation of state of carbides, 11
Hugoniot curve
application of the unsteady wave sensing system to the plate impact experiment, 43
Hugoniot measurement
laser shock loading device for real time evaluation of shock induced reaction, 91
Hydro-spark forming
high strain rate forming using an underwater shock wave focusing technique, 194
Hysteresis
hysteresis phenomena in shock wave reflections in steady flows, 15

Impact
measurement of free surface velocities of copper plates by interferometer, 158
Impact compression
impact compression behavior of FCC metals with pre-torsion strains, 184
Impact load
dynamic axial plastic buckling of square tube, 213
Impact materials
impact metamorphosed compositions of the Fe–Si–Ni–S system, 188
Impact-welding
microstructure and bonding strength of impact-welded aluminium–stainless steel joints, 166

Impedance matching
laser shock loading device for real time evaluation of shock induced reaction, 91
Impulsive hydraulic pressure
dynamic punching of holes in an aluminium pipe using impulsive hydraulic pressure, 204
Impulsive pressure
local deformation and buckling of a cylindrical Al tube under magnetic impulsive pressure, 209
Inertial confinement fusion
rippled shock propagation and hydrodynamic perturbation growth in laser implosion, 34
Instability
rippled shock propagation and hydrodynamic perturbation growth in laser implosion, 34
Ion beam
shock compaction of Al-based nanocrystal materials using an ion-beam device, 148
Iron
preparation of Fe–W system metastable alloy bulk body by mechanical alloying and shock compression, 135

Laser
rippled shock propagation and hydrodynamic perturbation growth in laser implosion, 34
Laser driven shock loading device
laser shock loading device for real time evaluation of shock induced reaction, 91
Laser induced shock
water shock wave emanated from the roughened end surface of an optical fiber by pulse laser input, 30
Local deformation
local deformation and buckling of a cylindrical Al tube under magnetic impulsive pressure, 209

Magnetic field
application of the strain gauge method to thermal expansion measurement under high pressure and high magnetic field, 224
Magnetic material
explosive consolidation of amorphous cobalt-based alloys, 121
Magnetic property
effects of decomposition on the magnetic property of shock-consolidated $Sm_2Fe_{17}N_x$ bulk magnets, 138
explosive compaction of Nd-Fe-B powder, 142
MA-precursor
laser shock loading device for real time evaluation of shock induced reaction, 91
Material testing
application of the unsteady wave sensing system to the plate impact experiment, 43
Mechanical alloying
preparation of Fe–W system metastable alloy bulk body by mechanical alloying and shock compression, 135
Mechanical property
x-ray diffraction and mechanical property studies of TiC_x synthesized by shock-assisted reaction sintering, 83
Metal/ceramic joining
a new method for explosive welding of Al/ZrO_2 joint using regulated underwater shock wave, 175
Metal jet
the converging gas flow driven by metal jets, 60
Metal matrix composites
shock synthesis of 2124Al–SiCp composites, 125
Metastable alloy
preparation of Fe–W system metastable alloy bulk body by mechanical alloying and shock compression, 135
Microstructural observations
effect on addition of titanium diboride to titanium carbide produced by the SHS/shock consolidation method, 105
high-temperature-shock compaction of ceramics/silicide composites produced by combustion synthesis, 100
Microstructure
microstructures of shock-consolidated diamond/silicon composites, 131
Microstructure of compound layer
microstructure and bonding strength of impact-welded aluminium–stainless steel joints, 166
Microsurgery
water shock wave emanated from the roughened end surface of an optical fiber by pulse laser input, 30
Mo–Si system
shock-induced reaction of molybdenum silicide from pretreated powders by mechanical alloying, 87
Multiple impacts
compositional changes by multiple impacts, 192

Nanocrystalline
shock-assisted synthesis of Ti_5Si_3 intermetallic compound, 74
Non-die explosive forming
optimum structure design method for non-die explosive forming of spherical vessel technology, 217
Non-equilibrium phase
shock compaction of Al-based nanocrystal materials using an ion-beam device, 148
shock-induced reaction of molybdenum silicide from pretreated powders by mechanical alloying, 87
Numerical analysis
dynamic axial plastic buckling of square tube, 213
Numerical simulation
on the explosive welding of a ring to the axisymmetric body, 171
underwater explosion of spherical explosives, 64

Optical fiber
water shock wave emanated from the roughened end surface of an optical fiber by pulse laser input, 30
Optical measurement
underwater explosion of spherical explosives, 64
Optical measurements
non-ideal detonation of emulsion explosives, 52
Optimum structure design
optimum structure design method for non-die explosive forming of spherical vessel technology, 217

Particle velocity history
laser shock loading device for real time evaluation of shock induced reaction, 91
Phase transformation
on direct transformation from hBN to cBN, 97
Plastic buckling
dynamic axial plastic buckling of square tube, 213
Plastic flow
numerical simulation of the plastic flow field near the bonding surface of explosive welding, 162
Plate-impact experiment
application of the unsteady wave sensing system to the plate impact experiment, 43
PMMA
laser shock loading device for real time evaluation of shock induced reaction, 91

Polymer
shock compression experiments on several polymers in the 1 GPa stress region, 20
Post-diamond phase
NIRIM two-stage light–gas gun and equation of state of carbides, 11
Powder compaction
shock compaction of Al-based nanocrystal materials using an ion-beam device, 148
Powder metallurgy
shock synthesis of 2124Al–SiCp composites, 125
Precursor air shock wave
experimental study on the channel effect in emulsion explosives, 25
Pressure
application of the strain gauge method to thermal expansion measurement under high pressure and high magnetic field, 224
Pressure history
underwater explosion of spherical explosives, 64
Pressure measurement
application of shock wave research to geophysics, 4
Pressure transducer
application of shock wave research to geophysics, 4
Pre-torsion strain
impact compression behavior of FCC metals with pre-torsion strains, 184
Pretreatment
shock-induced reaction of molybdenum silicide from pretreated powders by mechanical alloying, 87
Projectile
impact metamorphosed compositions of the Fe–Si–Ni–S system, 188
Pulsed laser ablation
water shock wave emanated from the roughened end surface of an optical fiber by pulse laser input, 30
PVDF copolymer sensor
precise measurements of underwater explosion phenomena by pressure sensor using fluoropolymer, 39
PVDF gauge
application of the unsteady wave sensing system to the plate impact experiment, 43

Rarefaction waves
the double explosive layer cylindrical compaction method, 115
Reaction kinetics
defect-enhanced solid-state reaction behavior of shock-modified Ti + C powder mixture compacts, 79
Reaction synthesis
shock-assisted synthesis of Ti_5Si_3 intermetallic compound, 74
Recovery
shock compaction of Al-based nanocrystal materials using an ion-beam device, 148
Reflections
hysteresis phenomena in shock wave reflections in steady flows, 15

Shaped charge
the converging gas flow driven by metal jets, 60
Sheet metal forming
high strain rate forming using an underwater shock wave focusing technique, 194
sheet metal forming by using gas imploding detonation, 198
Shock
rippled shock propagation and hydrodynamic perturbation growth in laser implosion, 34
Shock-assisted reaction sintering
x-ray diffraction and mechanical property studies of TiC_x synthesized by shock-assisted reaction sintering, 83
Shock compaction
preparation of Fe–W system metastable alloy bulk body by mechanical alloying and shock compression, 135
the double explosive layer cylindrical compaction method, 115
Shock-compression
shock-assisted synthesis of Ti_5Si_3 intermetallic compound, 74
Shock compression
preparation of Fe–W system metastable alloy bulk body by mechanical alloying and shock compression, 135
Shock-consolidation
microstructures of shock-consolidated diamond/silicon composites, 131
Shock consolidation
effects of decomposition on the magnetic property of shock-consolidated $Sm_2Fe_{17}N_x$ bulk magnets, 138
Shock consolidation of powders
an improved high-temperature shock compression and recovery system using underwater shock wave for dynamic compaction of powders, 153
Shock Hugoniot
shock compression experiments on several polymers in the 1 GPa stress region, 20
Shock-induced reaction
laser shock loading device for real time evaluation of shock induced reaction, 91
shock-induced reaction of molybdenum silicide from pretreated powders by mechanical alloying, 87
Shock modification
defect-enhanced solid-state reaction behavior of shock-modified Ti + C powder mixture compacts, 79
Shock processing
discrete element modeling of shock compression of hexagonal boron nitride powder with and without copper addition, 109
Shock reflection
von Neumann reflection of underwater shock wave, 48
Shock wave
a new method for explosive welding of Al/ZrO_2 joint using regulated underwater shock wave, 175
dynamic behavior of materials induced by explosive loadings initiated using wire explosion techniques, 56
hysteresis phenomena in shock wave reflections in steady flows, 15
measurement of free surface velocities of copper plates by interferometer, 158
precise measurements of underwater explosion phenomena by pressure sensor using fluoropolymer, 39
sheet metal forming by using gas imploding detonation, 198
shock compaction of Al-based nanocrystal materials using an ion-beam device, 148
$Sm_2Fe_{17}N_x$ or Sm–Fe–N magnets
effects of decomposition on the magnetic property of shock-consolidated $Sm_2Fe_{17}N_x$ bulk magnets, 138
Solid-phase reaction
shock-induced reaction of molybdenum silicide from pretreated powders by mechanical alloying, 87
Solid-state diffusion mechanism
defect-enhanced solid-state reaction behavior of shock-modified Ti + C powder mixture compacts, 79
Spall failure
dynamic behavior of materials induced by explosive loadings initiated using wire explosion techniques, 56
Spherical explosive
underwater explosion of spherical explosives, 64

Spherical vessel technology
optimum structure design method for non-die explosive forming of spherical vessel technology, 217
Square tube
dynamic axial plastic buckling of square tube, 213
Strain gauge
application of the strain gauge method to thermal expansion measurement under high pressure and high magnetic field, 224
Stress relaxation
shock compression experiments on several polymers in the 1 GPa stress region, 20
Surface roughness
experimental study on the channel effect in emulsion explosives, 25
microstructure and bonding strength of impact-welded aluminium–stainless steel joints, 166
water shock wave emanated from the roughened end surface of an optical fiber by pulse laser input, 30

Target
impact metamorphosed compositions of the Fe–Si–Ni–S system, 188
Target rock
compositional changes by multiple impacts, 192
Tensile properties
the effect of shock pressure on the mechanical properties of some b.c.c. metals, 180
Thermal expansion
creation of superhard B–C–N heterodiamond using an advanced shock wave compression technology, 69
Thermal resistance
creation of superhard B–C–N heterodiamond using an advanced shock wave compression technology, 69
Thin-metal foil
on direct transformation from hBN to cBN, 97
TiC synthesis
defect-enhanced solid-state reaction behavior of shock-modified Ti + C powder mixture compacts, 79
x-ray diffraction and mechanical property studies of TiC_x synthesized by shock-assisted reaction sintering, 83
Ti5Si3 intermetallic alloy
shock-assisted synthesis of Ti_5Si_3 intermetallic compound, 74
Total internal reflection
shock compression experiments on several polymers in the 1 GPa stress region, 20
Tungsten
preparation of Fe–W system metastable alloy bulk body by mechanical alloying and shock compression, 135
Two-stage light–gas gun
NIRIM two-stage light–gas gun and equation of state of carbides, 11

Ultra-high pressure
sheet metal forming by using gas imploding detonation, 198
Underwater explosion
a new method for explosive welding of Al/ZrO_2 joint using regulated underwater shock wave, 175
precise measurements of underwater explosion phenomena by pressure sensor using fluoropolymer, 39
Underwater-shock compaction
effect on addition of titanium diboride to titanium carbide produced by the SHS/shock consolidation method, 105
high-temperature-shock compaction of ceramics/silicide composites produced by combustion synthesis, 100
Underwater shock wave
an improved high-temperature shock compression and recovery system using underwater shock wave for dynamic compaction of powders, 153
non-ideal detonation of emulsion explosives, 52
underwater explosion of spherical explosives, 64
von Neumann reflection of underwater shock wave, 48
Underwater shock wave focusing
high strain rate forming using an underwater shock wave focusing technique, 194

Velocity interferometer
measurement of free surface velocities of copper plates by interferometer, 158
VISAR
laser shock loading device for real time evaluation of shock induced reaction, 91
Volcanic eruption
application of shock wave research to geophysics, 4
von Neumann reflection
von Neumann reflection of underwater shock wave, 48

Water shock wave
water shock wave emanated from the roughened end surface of an optical fiber by pulse laser input, 30
Wavy interface
numerical simulation of the plastic flow field near the bonding surface of explosive welding, 162
Wire-explosion
dynamic behavior of materials induced by explosive loadings initiated using wire explosion techniques, 56

X-ray diffraction
high pressure studies of the concentrated Kondo compounds $Ce(In_{1-x}Sn_x)_3$, 220
lattice instability of high-T_c superconductor, 229
X-ray diffraction and mechanical property studies of TiC_x synthesized by shock-assisted reaction sintering, 83